

MARVEL 3D

PORCELAIN TILE



GRANITI VICENTIA
GROUP



GRANITI VICENTIA BRINGS VALUE TO OUR CUSTOMERS

Graniti Vicentia provides **solutions to create spaces** that support and reflect the individuality, image and brand statement of our customers. We offer a menu of products, services and support to develop your project from the conception to completion.

Our approach is based on a collaborative team of professionals who share their knowledge to work on the project, from concept design, to the technical development of product solutions, through installation.

OUR GOAL IS ALWAYS TO EXCEED THE OWNER'S EXPECTATIONS.

MARBLE LOOK
3D WALL

WALL TILES
Rivestimenti
Revêtements
Wandfliesen
Revestimientos
Настенная плитка



MARVEL 3D
WALL

Index

- ↔ Inspiration
- ↔ Image Gallery
- ↔ Surface Range & Technical Specification

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO





LIGHTS ON WALL

MARVEL BECOMES 3D.

INDEX



INSPIRATION



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO



3D CREASE

BALANCED AND CONTEMPORARY.




3D REED

MATERIAL AND IRREGULAR.



FIELD

DISCREET AND ELEGANT.



5 MASTERPIECES REINTERPRETED IN 3 TEXTURES



THE PERFECT MATCH

Calacatta Bernini



WALL TILES - 3D CREASE, 3D REED, FIELD
Marvel 3D - Calacatta Bernini

MATCHING FLOOR IN TOTAL LOOK
Marvel Meraviglia - Calacatta Bernini

MATCHING FLOOR IN CONCRETE LOOK
Boost Balance - Ash

ENTICE

BOOST
BALANCE

MARVEL
MERAVIGLIA

MARVEL
TRAVERTINE

Calacatta Meraviglia



WALL TILES - 3D CREASE, 3D REED, FIELD
Marvel 3D - Calacatta Meraviglia

MATCHING FLOOR IN TOTAL LOOK
Marvel Meraviglia - Calacatta Meraviglia

MATCHING FLOOR IN CONCRETE LOOK
Boost Balance - Pearl

Travertine Sand



WALL TILES - 3D CREASE, 3D REED, FIELD
Marvel 3D - Travertine Sand

MATCHING FLOOR IN TOTAL LOOK
Marvel Travertine - Sand Vein Cut

MATCHING FLOOR IN WOOD LOOK
Entice - Browned Oak

Travertine White



WALL TILES - 3D CREASE, 3D REED, FIELD
Marvel 3D - Travertine White

MATCHING FLOOR IN TOTAL LOOK
Marvel Travertine - White Vein Cut

MATCHING FLOOR IN WOOD LOOK
Entice - Browned Oak

Light Majestic



WALL TILES - 3D CREASE, 3D REED, FIELD
Marvel 3D - Light Majestic

MATCHING FLOOR IN TOTAL LOOK
Marvel Meraviglia - Silver Majestic

MATCHING FLOOR IN CONCRETE LOOK
Boost Balance - Moon

Image Gallery

↔ 3D Reed - Calacatta Meraviglia



↔ 3D Reed - Calacatta Meraviglia
Field - Calacatta Meraviglia



↔ 3D Reed - Travertine Sand
Field - Travertine Sand



↔ 3D Crease - Travertine White



↔ 3D Crease - Travertine White
Field - Travertine White



↔ 3D Crease - Calacatta Bernini
Field - Calacatta Bernini



↔ 3D Crease - Light Majestic
Field - Light Majestic



↔ Field - Light Majestic



INSPIRATION >

IMAGE GALLERY >

3D REED

Home Bathroom

SPA Bathroom

3D CREASE

Living

Home Bathroom

Shop

FIELD

SURFACE RANGE & TECHNICAL SPECS. >

ENJOY THE VIDEO >



inspirations in
3D REED

CALACATTA MERAVIGLIA

INDEX



INSPIRATION



IMAGE
GALLERY



3D REED

Home Bathroom

SPA Bathroom

3D CREASE

Living

Home Bathroom

Shop

FIELD

SURFACE
RANGE &
TECHNICAL
SPECS.



ENJOY THE
VIDEO





WALL
Marvel 3D Reed Calacatta Meraviglia
 50x120 cm | 19⁵/₈"x47¹/₄"

Marvel 3D Field Calacatta Meraviglia
 50x120 cm | 19⁵/₈"x47¹/₄"

FLOOR
Boost Balance Pearl
 Matte
 120x120 cm | 47¹/₄"x47¹/₄"

TOP | Level
Habitat
Boost Balance Pearl
 Matte
 180x50x15 cm | 70⁷/₈"x19⁵/₈"x5⁷/₈"

INSPIRATION >

IMAGE GALLERY >

- 3D REED
- Home Bathroom
- SPA Bathroom
- 3D CREASE
- Living
- Home Bathroom
- Shop
- FIELD

SURFACE RANGE & TECHNICAL SPECS. >

ENJOY THE VIDEO ▶



WALL
Marvel 3D Reed Calacatta Meraviglia
 50x120 cm | 19⁵/₈"x47¹/₄"

Marvel 3D Field Calacatta Meraviglia
 50x120 cm | 19⁵/₈"x47¹/₄"

FLOOR
Boost Balance Pearl
 Matte
 120x120 cm | 47¹/₄"x47¹/₄"

TOP | Level
 180x50x15 cm | 70⁷/₈"x19⁵/₈"x5⁷/₈"
Boost Balance Pearl
 Matte

INDEX ☰

INSPIRATION >

IMAGE GALLERY >

3D REED

- Home Bathroom
- SPA Bathroom
- 3D CREASE
- Living
- Home Bathroom
- Shop
- FIELD

SURFACE RANGE & TECHNICAL SPECS. >

ENJOY THE VIDEO ▶



WALL
Marvel 3D Reed Calacatta Meraviglia
50x120 cm | 19⁵/₈"x47¹/₄"

INDEX



INSPIRATION



IMAGE GALLERY



3D REED

Home Bathroom

SPA Bathroom

3D CREASE

Living

Home Bathroom

Shop

FIELD

SURFACE RANGE & TECHNICAL SPECS.



ENJOY THE VIDEO





WALL
Marvel 3D Reed Travertine Sand
 50x120 cm | 19⁵/₈"x47¹/₄"

Marvel 3D Field Travertine Sand
 50x120 cm | 19⁵/₈"x47¹/₄"

FLOOR
Marvel Travertine Sand Vein Cut
 Matte
 120x240 cm | 47¹/₄"x94¹/₂"

SIT-ON BASIN - Up
Habitat
Marvel Travertine Sand Vein Cut
 Matte
 85x50x15 cm | 33¹/₂" / 19⁵/₈" / 5⁷/₈"

INDEX



INSPIRATION >

IMAGE GALLERY >

3D REED

Home Bathroom

SPA Bathroom

3D CREASE

Living

Home Bathroom

Shop

FIELD

SURFACE RANGE & TECHNICAL SPECS. >

ENJOY THE VIDEO





<

WALL

Marvel 3D Reed Travertine Sand
50x120 cm | 19⁵/₈"x47¹/₄"

SIT-ON BASIN - Up

Habitat

Marvel Travertine Sand Vein Cut
Matte
85x50x15 cm | 33¹/₂" / 19⁵/₈" / 5⁷/₈"

^

WALL

Marvel 3D Field Travertine Sand
50x120 cm | 19⁵/₈"x47¹/₄"

INDEX



INSPIRATION >

IMAGE GALLERY >

3D REED

Home Bathroom

SPA Bathroom

3D CREASE

Living

Home Bathroom

Shop

FIELD

SURFACE RANGE & TECHNICAL SPECS. >

ENJOY THE VIDEO >





WALL
 Marvel 3D Reed Travertine Sand
 50x120 cm | 19⁵/₈" x 47¹/₄"

INDEX



INSPIRATION



IMAGE GALLERY



3D REED

Home Bathroom

SPA Bathroom

3D CREASE

Living

Home Bathroom

Shop

FIELD

SURFACE RANGE & TECHNICAL SPECS.



ENJOY THE VIDEO





INDEX



INSPIRATION >

IMAGE GALLERY >

3D REED

Home Bathroom

SPA Bathroom

3D CREASE

Living

Home Bathroom

Shop

FIELD

SURFACE RANGE & TECHNICAL SPECS. >

ENJOY THE VIDEO





WALL
Marvel 3D Crease Travertine White
 50x120 cm | 19⁵/₈"x47¹/₄"

Marvel 3D Field Travertine White
 50x120 cm | 19⁵/₈"x47¹/₄"

FLOOR
Entice Browned Oak Natural
 Matte Sensitech
 20x120 cm | 7⁷/₈"x47¹/₄"

INDEX



INSPIRATION >

IMAGE GALLERY >

3D REED

Home Bathroom

SPA Bathroom

3D CREASE

Living

Home Bathroom

Shop

FIELD

SURFACE RANGE & TECHNICAL SPECS. >

ENJOY THE VIDEO





WALL
Marvel 3D Crease Travertine White
 50x120 cm | 19⁵/₈"x47¹/₄"



WALL
Marvel 3D Crease Travertine White
50x120 cm | 19⁵/₈"x47¹/₄"



WALL
Marvel 3D Crease Calacatta Bernini
 50x120 cm | 19⁵/₈"x47¹/₄"

Marvel 3D Field Calacatta Bernini
 50x120 cm | 19⁵/₈"x47¹/₄"

Boost Balance Ash
 Matte
 120x278 cm | 47¹/₄"x109¹/₂"

FLOOR
Boost Balance Ash
 Matte
 120x120 cm | 47¹/₄"x47¹/₄"

TWIN SINK - Duo
Habitat
Marvel Meraviglia Calacatta Bernini
 Polished
 210x50x15 cm | 82⁵/₈"x19⁵/₈"x5⁷/₈"

SHELF - Thin
Habitat
Marvel Meraviglia Calacatta Bernini
 Polished
 210x35x5 cm | 82⁵/₈"x13³/₄"x2"





WALL
Marvel 3D Field Calacatta Bernini
 50x120 cm | 19⁵/₈"x47¹/₄"



^
 WALL
Marvel 3D Crease Calacatta Bernini
 50x120 cm | 19⁵/₈"x47¹/₄"

FLOOR
Boost Balance Ash
 Matte
 120x120 cm | 47¹/₄"x47¹/₄"

TWIN SINK - Duo
Habitat
Marvel Meraviglia Calacatta Bernini
 Polished
 210x50x15 cm | 82⁵/₈"x19⁵/₈"x5⁷/₈"

SHELF - Thin
Habitat
Marvel Meraviglia Calacatta Bernini
 Polished
 210x35x5 cm | 82⁵/₈"x13³/₄"x2"

INSPIRATION >

IMAGE GALLERY >

3D REED

Home Bathroom

SPA Bathroom

3D CREASE

Living

Home Bathroom

Shop

FIELD

SURFACE RANGE & TECHNICAL SPECS. >

ENJOY THE VIDEO >



WALL
Marvel 3D Crease Calacatta Bernini
50x120 cm | 19⁵/₈"x47¹/₄"





WALL
Marvel 3D Crease Light Majestic
 50x120 cm | 19⁵/₈"x47¹/₄"

Marvel 3D Field Light Majestic
 50x120 cm | 19⁵/₈"x47¹/₄"

FLOOR
Boost Balance Moon
 120x120 cm | 47¹/₄"x47¹/₄"

INDEX ☰

INSPIRATION >

IMAGE GALLERY >

3D REED

Home Bathroom

SPA Bathroom

3D CREASE

Living

Home Bathroom

Shop

FIELD

SURFACE RANGE & TECHNICAL SPECS. >

ENJOY THE VIDEO ▶



WALL
Marvel 3D Crease Light Majestic
 50x120 cm | 19⁵/₈"x47¹/₄"

FLOOR
Boost Balance Moon
 120x120 cm | 47¹/₄"x47¹/₄"



INDEX



INSPIRATION >

IMAGE GALLERY >

3D REED

Home Bathroom

SPA Bathroom

3D CREASE

Living

Home Bathroom

Shop

FIELD

SURFACE RANGE & TECHNICAL SPECS. >

ENJOY THE VIDEO





<
WALL
Marvel 3D Field Calacatta Meraviglia
50x120 cm | 19⁵/₈"x47¹/₄"

^
WALL
Marvel 3D Field Travertine White
50x120 cm | 19⁵/₈"x47¹/₄"

INSPIRATION >

IMAGE GALLERY >

3D REED

Home Bathroom

SPA Bathroom

3D CREASE

Living

Home Bathroom

Shop

FIELD

SURFACE RANGE & TECHNICAL SPECS. >

ENJOY THE VIDEO





Surface Range & Technical Specification

- ↔ Marvel 3D Wall surface range
- ↔ Wall tiles: the right choice
- ↔ Technical Specification

INSPIRATION



IMAGE GALLERY



SURFACE RANGE & TECHNICAL SPECS.



Marvel 3D Wall surface range

Wall tiles: the right choice

Technical Specifications

ENJOY THE VIDEO



FIELD

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка

RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



Marvel 3D Field **Calacatta Meraviglia** - 50x120 cm - 19⁵/₈"x47¹/₄"



Marvel 3D Field **Calacatta Bernini** - 50x120 cm - 19⁵/₈"x47¹/₄"




Marvel 3D Field **Travertine White** - 50x120 cm - 19⁵/₈"x47¹/₄"



Marvel 3D Field **Travertine Sand** - 50x120 cm - 19⁵/₈"x47¹/₄"



Marvel 3D Field **Light Majestic** - 50x120 cm - 19⁵/₈"x47¹/₄"



3D REED

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка

RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



Marvel 3D Reed **Calacatta Meraviglia** - 50x120 cm - 19⁵/₈"x47¹/₄"



Marvel 3D Reed **Calacatta Bernini** - 50x120 cm - 19⁵/₈"x47¹/₄"




Marvel 3D Reed **Travertine White** - 50x120 cm - 19⁵/₈"x47¹/₄"



Marvel 3D Reed **Travertine Sand** - 50x120 cm - 19⁵/₈"x47¹/₄"



Marvel 3D Reed **Light Majestic** - 50x120 cm - 19⁵/₈"x47¹/₄"



3D CREASE

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка

RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



Marvel 3D Crease **Calacatta Meraviglia** - 50x120 cm - 19⁵/₈"x47¹/₄"



Marvel 3D Crease **Calacatta Bernini** - 50x120 cm - 19⁵/₈"x47¹/₄"




Marvel 3D Crease **Travertine White** - 50x120 cm - 19⁵/₈"x47¹/₄"




Marvel 3D Crease **Travertine Sand** - 50x120 cm - 19⁵/₈"x47¹/₄"




Marvel 3D Crease **Light Majestic** - 50x120 cm - 19⁵/₈"x47¹/₄"



 **Color-shading**
V2 Slight Variation



Trim tiles



Marvel 3D Corner
1,4x50 cm - 5/8"x19⁵/₈"



Marvel 3D Corner A.E.
1,4x1,4 cm - 5/8"x5/8"

Available in / Disponibile in: **Field Texture** - All Colors.
These parts are supplied to order / I pezzi sono disponibili su ordinazione.

THANKS TO



INSPIRATION >


IMAGE GALLERY >

SURFACE RANGE & TECHNICAL SPECS. >

Marvel 3D Wall surface range

Wall tiles: the right choice

Technical Specifications

ENJOY THE VIDEO 

SUGGESTED COMBINATIONS


Calacatta Meraviglia




CONCRETE LOOK Boost Balance



MARBLE LOOK Marvel Meraviglia



WOOD LOOK Entice




Calacatta Bernini




Boost Balance



Marvel Meraviglia



Entice




Travertine White




Boost Balance



Marvel Travertine



Entice




Travertine Sand




Boost Balance



Marvel Travertine



Entice



Light Majestic




Boost Balance



Marvel Meraviglia



Entice



WALL TILES: THE RIGHT CHOICE

HYGIENIC
Igienico

EASY TO CLEAN
AND DISINFECT
Facile da pulire
e sanificare

RESISTANT
& LONG LASTING
Resistente, dura a lungo

RECYCLABLE
Riciclabile

SAFE
Sicuro

PREVENT BACTERIA
GROWTH
Previene la crescita batterica

ECO-FRIENDLY
Ama l'ambiente

RESISTANT TO CHEMICAL
AGENTS & DETERGENTS
Resistente agli agenti
chimici e ai detersivi

ZERO PVC
Zero PVC

FIREPROOF
Non brucia

Wall tiles - Rectified monocaliber

Rivestimento - Rettificato monocalibro



Compliant with standards EN 14411 annex L group BIII
 Compliant with standards ISO 13006 annex L group BIII
 Conforme alla norma EN 14411 Appendice L gruppo BIII
 Conforme alla norma ISO 13006 Appendice L gruppo BIII

50x120 cm - 19 5/8" x 47 1/2" ± 8,5 mm

Technical features Caratteristiche tecniche	Test Method Metodo di prova	Requirements for nominal size N Requisiti per dimensione nominale N			Wall tiles
		7 cm ≤ N < 15 cm		N ≥ 15 cm	
		(mm)	(%)	(mm)	
Length and width Lunghezza e larghezza	ISO 10545-2	± 0,4 (*) Rect.	± 0,3 (*) Rect.	± 1,0 (*) Rect.	Suitable for Conforme
Thickness Spessore		± 0,5 (**)	± 10 (**)	± 0,5 (**)	Suitable for Conforme
Straightness of sides Rettilineità degli spigoli		± 0,4 (***) Rect.	± 0,3 (***) Rect.	± 0,8 (***) Rect.	Suitable for Conforme
Rectangularity Ortogonalità		± 0,4 (****) Rect.	± 0,3 (****) Rect.	± 1,5 (****) Rect.	Suitable for Conforme
Surface flatness Planarità	ISO 10545-2	c.c. ± 0,6 Rect.	c.c. ± 0,4 Rect.	c.c. ± 1,8 Rect.	Suitable for Conforme
		e.c. ± 0,6 Rect.	e.c. ± 0,4 Rect.	e.c. ± 1,8 Rect.	
		w. ± 0,6 Rect.	w. ± 0,4 Rect.	w. ± 1,8 Rect.	
Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	Average >10%. When the average > 20%, this shall be indicated. Individual value > 9% Media >10%. Se questo valore > 20%, deve essere indicato. Valore Singolo > 9%			10% < E _v ≤ 20%
Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 600 N			S ≥ 600 N
Modulus of rupture Resistenza alla flessione		R ≥ 15 N/mm ²			R ≥ 15 N/mm ²
Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹
Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste
Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0,06% (0,6mm/m)
Crazing resistance Resistenza al cavillo	ISO 10545-11	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste
Bond strength/adhesion for improved cementitious adhesives Adesione a trazione con adesivi cementizi migliorati	EN 1348	Declared value Valore dichiarato			≥ 10 N/mm ² (Class C2 - EN 12004)
Reaction to fire Reazione al fuoco	-	Class A1 Classe A1			A1
Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico ed agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A
Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA
Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA
Resistance to staining Resistenza alle macchie	ISO 10545-14	Minimum Class 3 Classe 3 minima			5
Release of dangerous substances: Cadmium (in mg/dm²) and Lead (in mg/dm²) Rilascio di sostanze pericolose: Cadmio (in mg/dm ²) e Piombo (in mg/dm ²)	ISO 10545-15	Declared value Valore dichiarato			≤ 0,01 mg/dm ² Cd ≤ 0,1 mg/dm ² Pb

*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
 **) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, della spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
 ***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
 ****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
 c.c. The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
 e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
 w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

ETHICAL IDENTITY



CERTIFICATIONS

Company certifications / Certificazioni aziendali



Product certifications / Certificazioni di prodotto



Product declarations / Dichiarazioni di prodotto



Certification for buildings / Rating dell'edificio



Certifications for export to international markets*





GRANITI VICENTIA
GROUP

2135 State Highway 6 South
Houston, Texas 77077

Phone: +1 713-869-0800

www.granitivicentia.com
info@granitivicentia.com



GRANITI VICENTIA
GROUP



GRANITI VICENTIA

GROUP