

JURUPA

PORCELAIN TILE



GRANITI VICENTIA
GROUP



GRANITI VICENTIA BRINGS VALUE TO OUR CUSTOMERS

Graniti Vicentia provides **solutions to create spaces** that support and reflect the individuality, image and brand statement of our customers. We offer a menu of products, services and support to develop your project from the conception to completion.

Our approach is based on a collaborative team of professionals who share their knowledge to work on the project, from concept design, to the technical development of product solutions, through installation.

OUR GOAL IS ALWAYS TO EXCEED THE OWNER'S EXPECTATIONS.

■ SURFACE SOLUTIONS FOR EVERY NEED

GV Surfaces is the division within Graniti Vicentia Group that focuses on surface solutions solutions. We provide innovative solutions that respond to the interior and exterior needs of each of our customers. The flexibility of ceramics allows for each surface to be defined and chosen to create a space with design intent. The portfolio of products offered is the continued effort of GV Surfaces

to keep current. We take great care to select products displaying the **latest trends** in design combined with the **extraordinary quality** and cutting-edge technology of the constant and never-ending research of our vendors. This, along with GV Group's offer of value added fabrication services, provides our customers with **value design**, quality and the performance of surface materials.

QUALITY PRODUCTS FOR UNIQUE PROJECTS.



WILD JP05 FLOOR: Wild JP05 NAT SQ 300x2400 / 12"x96"



CAMP JP04 FLOOR: Camp JP04 NAT SQ 200x1200 / 8"x48"
WALL and TUB: Glocal Absolute GC06 SP SQ 1200x2780 / 48"x110"
WALL SHOWER and TOP: Camp JP04 NAT SQ 200x1200 / 8"x48"
BENCH: Norr Grå RR02



CAMP JP04 FLOOR: Camp JP04 NAT SQ 200x1200 / 8"x48"
TOP: Camp JP04 NAT SQ



MASTER JP03 FLOOR: Master JP03 NAT SQ 200x1200 / 8"x48"
KITCHEN WALL and TOP: Norr Grå RR02 NAT



CAMP JP04 FLOOR: Camp JP04 RD SQ 300x1200 / 12"x48" EVO_2/E™ 20mm
WALL: Glocal Type GC04 ST SQ 600x600 / 24"x24"





WILD JP05 FLOOR: Wild JP05 GP SQ 200x1200 / 8"x48"
RAILING: Glocal Iron GC20 SP SQ 1600x3200 / 63"x126"





BASIC JP01 FLOOR: Basic JP01 NAT SQ 200x1200 / 8"x48"



CAMP JP04 FLOOR: Camp JP04 NAT SQ 200x1200 / 8"x48"
COUNTER: Glocal Iron GC20 SP SQ 1600x3200 / 63"x126"



COOL JP02 FLOOR: Cool JP02 NAT SQ 200x1200 / 8"x48"
WALL: Norr Grå RR02 NAT SQ 1600x3200 / 63"x126"





COOL JP02 FLOOR: Cool JP02 NAT SQ 200x1200 / 8"x48"



MASTER JP03

FLOOR: Master JP03 NAT SQ 200x1200 / 8"x48"
WALL: Master JP03 NAT SQ 300x2400 / 12"x96"





GRIP

NATURAL

JURUPA BASIC JP01

9 mm

300x2400 / 12"x96"
NAT SQ

200x1200 / 8"x48"
NAT SQ

200x1200 / 8"x48"
GP SQ



STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

KERAKOLL	43	
MAPEI	112 Grigio Medio	
LATICRETE	04 Sterling Silver	

Shade variation



Slight variation



JURUPA COOL JP02



9 mm

300x2400 / 12"x96"
NAT SQ

200x1200 / 8"x48"
NAT SQ

200x1200 / 8"x48"
GP SQ

20 mm

300x2400 / 12"x96"
RD SQ

EO 2/e

300x1200 / 12"x48"
RD SQ

600x600 / 24"x24"
RD SQ



STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

KERAKOLL	45	
MAPEI	111 Grigio Argento	
LATICRETE	89 Smoke Grey	

Shade variation



Slight variation

JURUPA MASTER JP03



9 mm

300x2400 / 12"x96"
NAT SQ

200x1200 / 8"x48"
NAT SQ

200x1200 / 8"x48"
GP SQ

20 mm

300x2400 / 12"x96"
RD SQ

EO 2/e

300x1200 / 12"x48"
RD SQ

600x600 / 24"x24"
RD SQ



STUCCHI CONSIGLIATI
RECOMMENDED GROUTS

KERAKOLL	30	
MAPEI	113 Grigio Argento	
LATICRETE	34 Sand Stone	

Shade variation



Slight variation

JURUPA CAMP JP04

9 mm

300x2400 / 12"x96"
NAT SQ

200x1200 / 8"x48"
NAT SQ

200x1200 / 8"x48"
GP SQ

20 mm

300x2400 / 12"x96"
RD SQ

300x1200 / 12"x48"
RD SQ

600x600 / 24"x24"
RD SQ



STUCCHI CONSIGLIATI RECOMMENDED GROUTS

KERAKOLL	26
MAPEI	134 Seta
LATICRETE	78 Sterling Silver



Shade variation



Slight variation

JURUPA WILD JP05

9 mm

300x2400 / 12"x96"
NAT SQ

200x1200 / 8"x48"
NAT SQ

200x1200 / 8"x48"
GP SQ



STUCCHI CONSIGLIATI RECOMMENDED GROUTS

KERAKOLL	26
MAPEI	136 Fango
LATICRETE	45 Raven



Shade variation




























Slight variation

JURUPA

RIASSUNTIVO FORMATI E IMBALLI

SUMMARY OF SIZES AND PACKAGING
ÜBERSICHT ÜBER FORMATE UND VERPACKUNGEN
RÉCAPITULATIF FORMATS ET EMBALLAGES
SINÓPTICO DE FORMATOS Y EMBALAJES


				 	 	 	 	 	 
Spessore - Thickness	± 9 mm	± 9 mm	± 9 mm	± 20 mm	± 20 mm	± 20 mm			
Superficie - Surface	NAT SQ	GP SQ	NAT SQ	RD SQ	RD SQ	RD SQ	NAT SQ	NAT SQ	NAT SQ
 JP01 Basic	UR31	UR37	UI92	-	-	-	UL71	ATF4	UJ68
 JP02 Cool	UR32	UR38	UI93	A	ARI4	A	UL72	ATF5	UJ69
 JP03 Master	UR33	UR39	UI94	A	ARI5	A	UL73	ATF3	UJ70
 JP04 Camp	UR34	UR40	UG63	A	ARI6	A	UL74	ATF2	UJ71
 JP05 Wild	UR35	UR36	UI95	-	-	-	UL75	ATF6	UJ72
 Peso lordo per scatola Gross weight per box	30,92	30,92	Please refer to website www. .it	32,57	32,00	Please refer to website www. .it	-	-	-
 Pezzi per scatola Pieces for box	6	6		2	2		6	4	10
 Mq. scatola Mq. box	1,44	1,44		0,72	0,72		-	-	-
 Scatole per full pallet Boxes per full pallet	32	32		30	36		-	-	-
 Mq./pallet	46,08	46,08		21,60	25,92		-	-	-

NAT: Naturale - Natural - Natur/unpoliert - Naturelle - Natural - 天然 GP: Grip RD: Radiale

A: Disponibile - Available
















* **Decoro su rete** - Mesh-backed decoration - Dekor auf netz - Décor sur filet - Decoración en red - 网板背帖装饰

** **Finitura a becco di civetta** - One-round edge shaping - Ausführung mit Eckabrundung - Façonnage à bord rond - Acabado canto romo - 鹰嘴边缘处理



JURUPA

STANDARD EN 14411 - G

CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTERISTIQUES TECHNIQUES CARACTERÍSTICAS TÉCNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ 技术特征		NORMA STANDARD NORME NORMA НОРМА ЗНАЧЕНИЯ 标准	VALORI PRESCRITTI DALLE NORME EN 14411 - G INTERNATIONAL STANDARDS EN 14411 - G INTERNATIONALE NORMWERTE EN 14411 - G VALEURS PREVUES PAR LES NORMES EN 14411 - G VALORES PREVISTOS POR LAS NORMAS EN 14411 - G ПРЕДУСМОТРЕННЫЕ СТАНДАРТОМ EN 14411-G EN 14411 - G标准规定值	*VALORE MEDIO AVERAGE VALUE MITTELWERT VALEURS MOYEN VALOR MEDIO СРЕДНЕЕ ЗНАЧЕНИЕ 平均值		
CARATTERISTICHE DIMENSIONALI - SIZE CHARACTERISTICS - MASSEIGENSCHAFTEN DETERMINATION DES CARACTERISTIQUES DIMENSIONNELLES - CARACTERÍSTICAS DIMENSIONALES - РАЗМЕРНЫЕ ХАРАКТЕРИСТИКИ - 尺寸特征				NAT	GP	RD 20mm
 LATI SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН - 側边	EN ISO 10545-2	± 0,3% MAX (± 1,0 mm MAX)	CONFORME COMPLYING			
 SPESSORE THICKNESS - DICKE ÉPAISSEUR - ESPESOR ТОЛЩИНА - 厚度	EN ISO 10545-2	± 5,0% MAX (± 0,5 mm MAX)	CONFORME COMPLYING			
 RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARETES - RECTITUD DE LOS CANTOS КОСОУГОЛЬНОСТЬ - 边角平直度	EN ISO 10545-2	± 0,3% MAX (± 0,8 mm MAX)	CONFORME COMPLYING			
 ORTOGONALITÀ RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITÉ - ORTOGONALIDAD КРИВИЗНА СТОРОН - 直角度	EN ISO 10545-2	± 0,3% MAX (± 1,5 mm MAX)	CONFORME COMPLYING			
 PLANARITÀ SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИВИЗНА ЛИЦЕВОЙ ПОВЕРХНОСТИ - 平整度	EN ISO 10545-2	± 0,4% MAX (± 1,8 mm MAX)	CONFORME COMPLYING			
 ASSORBIMENTO D'ACQUA WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ - 吸水率	EN ISO 10545-3	≤ 0,5%	≤ 0,1%			
 RESISTENZA ALLA FLESSIONE FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTANCE A LA FLEXION - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ - 抗弯强度	EN ISO 10545-4	S ≥ 700 N (< 7,5 mm) S ≥ 1.300 N (> 7,5 mm) R ≥ 35 N/mm².	≠ 9 mm: S≥2.400N R≥48 N/mm² ≠ 20 mm: S≥12.500N R≥48 N/mm²			
 RESISTENZA ALL'URTO IMPACT RESISTANCE - STOSSFESTIGKEIT RESISTANCE AUX CHOCs - RESISTENCIA A LOS GOLPES УДАРОСТОЙКОСТЬ - 抗冲击强度	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE	> 0,48			
 RESISTENZA ALL'ABRASIONE ABRASION RESISTANCE - ABRIBFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASIÓN СТОЙКОСТЬ К ИСТИРАНИЮ - 耐磨强度	EN ISO 10545-6	≤ 175 mm³	< 150 mm³			
 COEFFICIENTE DI DILATAZIONE TERMICA LINEARE COEFFICIENT OF LINEAR THERMAL-EXPANSION - LINEARER WÄRMEAUSSDEHNUNGSKOEFFIZIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFICIENTE DE DILATACIÓN TÉRMICA LINEAL КОЭФФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСШИРЕНИЯ - 线性热膨胀系数	EN ISO 10545-8	—	α=6,6x10 ⁻⁶ °C ⁻¹			
 RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN RESISTANCE AUX CHOCs THERMIQUES - RESISTENCIA A LOS CHOQUES TÉRMICOS СТОЙКОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ - 耐热突变性	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE			
 RESISTENZA AL GELO FROST RESISTANCE - FROSTBESTÄNDIGKEIT RESISTANCE AU GEL - RESISTENCIA AL HIELO МОРОЗОСТОЙКОСТЬ - 耐冻性	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE			
 RESISTENZA ALL'ATTACCO CHIMICO RESISTANCE TO CHEMICALS - CHEMIKALIENBESTÄNDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE - RESISTENCIA QUÍMICA ХИМИЧЕСКАЯ СТОЙКОСТЬ - 耐化学品作用	EN ISO 10545-13	B MIN.	A LA HA			
 RESISTENZA ALLE MACCHIE RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ - 防污性	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	5			
 CESSIONE DI PIOMBO E CADMIO LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESIÓN DE PLOMO Y CADMIO ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ - 铅和镉的排放	EN ISO 10545-15	VALORE DICHIARATO DECLARED VALUE	< AL LIMITE DI RILEVAMENTO < THAN INSTRUMENT LIMIT			
				NAT	GP	RD 20mm
	DM 236/89 BCRA	> 0,40	> 0,40	> 0,40	> 0,40	> 0,40
	ANSI A326.3	Wet and Dry	≥ 0,42	≥ 0,55	≥ 0,55	
	AS 4586	-	P2	P4	-	
	DIN 51130	-	R9	R11	R11	
	DIN 51097	-	A	A+B+C	A+B+C	
	UNE 41901	≥ CL1	CL1	CL3	-	
	BS 7976 sl.96-4S	Wet and Dry	-	≥ 0,36	-	
	BS 7976 sl.55-TRL	Wet and Dry	-	≥ 0,36	-	

Per i certificati specifici, contattare SpA - For specific certificates, please contact SPA - Für die speziellen Zertifikate wenden Sie sich bitte an SpA - Pour les certificats spécifiques, veuillez contacter SPA
 Para los certificados específicos, contactar SpA - Для сертификатов обращайтесь в компанию SPA - 关于具体的证书, 请联系 SpA公司



SCIVOLOSITÀ
SKID RESISTANCE - RUTSCHWERT
GLISSANCE - ADHERENCIA
СКОЛЬЗКОСТЬ - 防滑性



GRANITI VICENTIA
GROUP

2135 State Highway 6 South
Houston, Texas 77077

Phone: +1 713-869-0800

www.granitivicentia.com
info@granitivicentia.com



GRANITI VICENTIA
GROUP



GRANITI VICENTIA

GROUP